



**Material Safety Data Sheet (MSDS)**  
code 2001, 2002, 2007, 2007-A, 2008, 2009

**Absorbit Trading**

T +31 (0)23 - 553 99 99

F +31 (0)23 - 553 99 90

E [info@absorbittrading.nl](mailto:info@absorbittrading.nl)I [www.absorbittrading.nl](http://www.absorbittrading.nl)

# Basic Snakes & Pillows

**I. Manufacturer Identification**

Manufacturers Name: Breg International  
Address: 20 Joseph Mills Drive, P.O. Box 595, Frederick-  
sburg, VA 22404-0595, USA  
Emergency Telephone Numbers: +31 (0)23 553 99 99  
Telephone Numbers for Information: +31 (0)23 553 99 90  
Date Prepared: January 1st, 2005

**II. Ingredients/Identity Information**

Hazardous Components: (Specific Chemical Identity;  
Common Names)  
No Hazardous Components: Outer material (5%) Polypropy-  
lene CAS # 9003-07-0  
Inner material (95%) Cellulose fiber (67%) CAS # 9004-34-6  
and Polypropylene (33%) CAS # 9003-07-0  
Other limits: OSHA (PEL) N/A ACGLIH (TLV):N/A  
Other Limits Recommended: N/A

**III. Physical/Chemical Characteristics**

Boiling Point: N/A  
Vapor Pressure (mmHg.): N/A  
Vapor Density (AIR=1): N/A  
Solubility in water: Negligible  
Appearance and Odour: White, essentially odour free.  
Specific Gravity (H<sub>2</sub>O = 1): <1  
Melting Point: Outer material melts at 320°F  
Evaporation Rate (Butyle Acetate = 1): N/A

**IV. Fire and Explosion Hazard Data**

Flash Point: 320°F (Method Used COC, ASTM D92)  
Flammable Limits: N/A LEL: N/A UEL: N/A  
Extinguishing Media: Water spray, water fog, foam,  
CO<sub>2</sub>, or dry chemicals.  
Special Fire Fighting Procedures: Use water spray to  
cool fire-exposed surfaces and to protect personnel.  
Unusual Fire and Explosion Hazards: Some carbon  
monoxide formation is possible under oxygen-lean  
conditions.

**V. Reactivity Data**

Stability: Unstable \_\_\_ Stable X  
Conditions to Avoid: N/A  
Incompatibility (Materials to Avoid): Do not use with  
aggressive fluids including strong acids, strong bases,  
oxidizers, or for hazardous materials containment.  
Hazardous Decomposition or By-products: N/A  
Hazardous Polymerisation: Will not occur.

**VI. Health Hazard Data**

Route(s) of Entry;  
Inhalation? N/A  
Skin? N/A  
Ingestion? N/A  
Health Hazards (Acute and Chronic): N/A  
Carcinogenicity;  
NTP? N/A  
IARC Monographs? N/A  
OSHA Regulated? N/A  
Signs and Symptoms of Exposure: N/A  
Medical Conditions Generally Aggravated by Exposure: N/A  
Emergency and First Aid Procedures: N/A

**VII. Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled:  
Not a Hazard. Sweep up spilled sorbent material and reuse.  
Waste Disposal Method: Normal incineration or landfill.  
Steps to Be Taken in Handling and Storing: Store in  
dry area. Do not store near open flame, high heat or  
strong oxidants.  
Other Precautions: Polypropylene, when heated, becomes  
very sticky and will burn. Use self-contained air masks to  
enter smoky area in the event of fire. If saturated, handle and  
dispose in manner proper to contaminant absorbed and in  
accordance with Federal, State, and Local regulations.

**VIII. Control Measures**

Respiratory Protection: Non-needed.  
Ventilation;  
Local Exhaust? N/A  
Mechanical (general): N/A  
Special: N/A Other: N/A  
Protective Gloves: N/A  
Eye Protection: N/A  
Other Protective Clothing or Equipment: Only as necessary  
for spilled contaminant.  
Work/Hygienic Practices: Nothing special.

